

deployteq

deployteq

[Help Center](#) > [Community](#) > [Verbetervoorstellen](#) > [Expand broadcast fields with: original_new_content_id of content_name](#)

Expand broadcast fields with: original_new_content_id of content_name [Open Discussion](#)



- Koen Meulenkamp
- **Forum name:** #Verbetervoorstellen

I would really like to see one of the following two fields in the broadcast fields:

`original_new_content_id` or `content_name`

Currently, you have the following fields:

```
{{broadcast field='contentid'}}
```

```
{{broadcast field='original_content_id'}}
```

I store these in the data model after submission using `store_in_datamodel`. However, these two IDs are not useful—you can't search by them. Whereas I can use `original_new_content_id` in the URL to look up the email. Also, for readability, the content name would be very helpful.

Ik zou heel graag in de broadcast fields 1 van de volgende 2 opties terug zien:
original_new_content_id of content_name

Nu heb je de volgende velden

```
{{broadcast field='contentid'}}
```

```
{{broadcast field='original_content_id'}}
```

Deze sla ik op in het datamodel na verzending middels een store_in_datamodel. Echter aan bovenstaande 2 id's heb je niks, daar kan je niet op zoeken. Terwijl ik original_new_content_id wel kan gebruiken in de URL om de mail op te zoeken. Ook zou voor de leesbaarheid hiervan de content naam wel handig zijn.

Comments (2)



Chantalle

3 weeks ago

I would also love it if we could add 'original_new_content_id' to the broadcast fields. This addition would be valuable when used in conjunction with the Analytics Events API, where this field is already available. This would benefit our reporting and analysis capabilities. @Koen, you could use `{{broadcast field='contentname'}}`, hope that helps!



Koen Meulenkamp

3 weeks ago

Hi Chantalle, Thank you, totally overlooked the content_name one.... :/ But still the request for the ID remains! Regards, Koen